



**Richards-Wilcox**  
Garage Doors

# LANDMARK™ SERIES

## Residential Product Catalogue




Made in Canada



[rwdoors.com](http://rwdoors.com)

# Why Richards-Wilcox?



## Celebrating Over 110 Years In Business

Incorporated in 1912, Richards-Wilcox® was the first company in Canada to introduce sectional overhead doors and establish nationwide distribution channels. In the 1970s, R-W launched a full line of steel sectional doors. In the 1980s, we began production of continuous polyurethane-insulated sections. This was one of only three lines of its kind in North America.

The subsequent decades have brought continual improvements to our product offerings and manufacturing processes, including the addition of a full range of residential polyurethane insulated sectional doors. R-W is proud of our rich history of excellence. We are committed to being innovators of sectional door design and to manufacturing the highest quality door systems in the world.

## Quality Production

Every aspect of our manufacturing operation is subject to the highest standards. Our team of engineers is dedicated to researching state-of-the-art design and production methods. An in-house testing facility and uncompromising quality control inspections make certain that only premium products leave the premises. Using the best available materials and technology guarantees that the finished door system will be reliable, strong, and worry-free for years to come.



### Authorized Dealers

A door is only as good as its installation. That's why our doors are only installed by authorized dealers. This process ensures that every installation meets our standards of quality.



### Made In Canada

Richards-Wilcox® has been in business for over 110 years; from parts, to hardware and panels, R-W doors are proudly made in Canada.



### Lifetimer™ Warranty

When you choose R-W, you've chosen the best garage door you can buy and we'll back that up in writing with our Limited Lifetimer™ warranty.

# The Landmark™ Series

## All Doors Feature

### Neufoam™ Insulation

Continuous polyurethane insulated core of high density foam resulting in energy saving R-Values.

### Pre-Painted Galvanized Steel Sheets

High-strength, rust-resistant and available in up to 12 colours to match the beauty of your home. No additional material (eg. wood) is used on our doors.

### Weatherlock™ Section Joint

R-W's modified tongue and groove joint moves the joint closer to the exterior of the door face to limit air and water infiltration, while providing unyielding section strength and integrity.

### Bulb Seal

Prevents air leaks.

### Thermal Break


Prevents heat transfer and air infiltration.

### Galvanized Steel Endcaps

Heavy duty for additional strength.

### Arctic-Grade Bulb-Shaped Bottom Seal

Rust resistant aluminum retainer that increases the strength of the bottom edge of the door.



---

## Table of Contents

### Traditional Doors

Classic and Premium Collections.....	Page 4
Grandview Collection.....	Page 8

### Modern Doors

Contemporary Collection.....	Page 10
------------------------------	---------

### Carriage House Doors

Briarcrest Collection.....	Page 14
Echo Ridge Collection .....	Page 16
Echo Ridge XL Collection .....	Page 18

### Custom Cedar Doors

Rockwood Collection.....	Page 20
Rockwood Contemporary Collection.....	Page 22

### Additional Resources

Decorative Insert Windows.....	Page 6
Metal Insert Windows.....	Page 7
Grandview, Briarcrest & Contemporary Windows.....	Page 12
Landmark Elements Woodtones .....	Page 13
Decorative Hardware.....	Page 24
Standard Hardware.....	Page 25
Warranty Information.....	Page 26
Design-A-Door.....	Page 27

# Classic and Premium Collections



Premium ▪ Recessed Smooth Ranch ▪ White ▪ Stockton 10 aluminum grid windows ▪ Clear glass

## Traditional style garage doors

### Featuring

- 1 3/8" (R12) and 2" (R18) section thicknesses
- Up to 8 panel styles available
- 12 colour options available
- 20' x 14' max door size



### Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



### WeatherLock™

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.




Premium ▪ Recessed Smooth Ranch ▪ Iron Ore ▪ Clear windows ▪ Satin glass

**Classic (L138)**  
**Premium (L200)**

1 3/8" thick door  
 2" thick door

R12 R-Value  
 R18 R-Value

**Panel Styles**



Flush



Plank



Raised Ranch



Raised Colonial



Recessed Grooved Ranch



Recessed Grooved Colonial



Recessed Smooth Ranch




Mixed Panel  
 Only available with Premium (L200)


**Colour Options**




Almond




Black




Bronze




Brown




Café




Desert Tan



Sandstone



Iron Ore




Slate Grey



White

**Landmark Elements Woodtones**



Cocoa  
 Hickory



Honey  
 Cedar

Plank and Flush panels styles are available in both woodgrain and stucco embossing.  
 Iron Ore, Slate Grey and Café colour options are not available in the Recessed Grooved Colonial panel style.  
 Honey Cedar and Cocoa Hickory colours are only available in woodgrain embossing. See page 13 for more details.  
 Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour sample.

**See pages 6 and 7 for window options**


# Decorative Inserts



Ranch Clear (42" wide x 14" high)



Colonial Clear (19.5" wide x 14" high)



Prairie Colonial (19.5" wide x 14" high)




Prairie Ranch (42" wide x 14" high)



Stockton Colonial (19.5" wide x 14" high)



Stockton Ranch (42" wide x 14" high)



Stockton Arch (42" wide x 14" high)



Stockbridge Arch (42" wide x 14" high)



Stockbridge Ranch (42" wide x 14" high)



Waterton Ranch (42" wide x 14" high)




Waterton Colonial (19.5" wide x 14" high)



Cascade Colonial (19.5" wide x 14" high)



Cascade Ranch (42" wide x 14" high)



Breckenridge



Berkshire

## Frame Colour Options

Frame matching for all decorative inserts. Frames on the inside of the door are white.



Almond

Black

Bronze

Brown

Café

Desert Tan

Sandstone

Iron Ore

Slate Grey

White

## Woodtone Frame Colour Options

Frame matching for all decorative inserts. Frames on the inside of the door are white.



Cocoa  
Hickory

Honey  
Cedar

## Glass Styles



Clear




Satin



Obscure



Dark Tint



Black Satin

# Metal Inserts

## Window Style



Stockton 4 (19.5" wide x 14" high)



Stockton 6 (19.5" wide x 14" high)



Stockton 10 (42" wide x 14" high)




Prairie Colonial (19.5" wide x 14" high)




Prairie Ranch (42" wide x 14" high)

## Insert Material




### Round Bar

3/8" (10 mm) round bars available in pewter.



### Square Bar

3/8" (10 mm) square bars available in black.



### Aluminum Grid

5/8" (16 mm) grids available in Sandstone, Desert Tan, Almond, Bronze, Brown, Café, Slate Grey, White, and Black.

## Frame Colour Options

Frame matching for all metal inserts. Frames on the inside of the door are white.



Almond

Black

Bronze

Brown

Café

Desert Tan

Sandstone

Iron Ore

Slate Grey

White

## Woodtone Frame Colour Options

Frame matching for all metal inserts. Frames on the inside of the door are white.



Cocoa  
Hickory

Honey  
Cedar

## Glass Styles



Clear



Satin



Obscure

# Grandview Collection



Grandview ▪ Flush ▪ Desert Tan ▪ Rectangle 4-Over-4 windows ▪ Obscure glass

## Traditional style garage door with an extra large top section featuring 20% larger windows

### Featuring

- 24" top section with extra large windows
- 2" (R18) section thickness
- 7 panel styles available
- 12 colour options available
- 18' x 14' max door size



### Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



### WeatherLock™

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.




Grandview ▪ Recessed Smooth Ranch ▪ Slate Grey ▪ 4-Over-4 Two-Piece Arched windows ▪ Clear glass

## Grandview (L200GV)

2" thick door

R18 R-Value

### Panel Styles



Flush



Plank




Raised Ranch




Raised Colonial



Recessed Grooved Ranch



Recessed Grooved Colonial



Recessed Smooth Ranch

### Colour Options



Almond

Black

Bronze

Brown

Café

Desert Tan

Sandstone

Iron Ore

Slate Grey

White

### Landmark Elements Woodtones



Cocoa  
Hickory

Honey  
Cedar

Plank and Flush panels styles are available in both woodgrain and stucco embossing.

Iron Ore, Slate Grey and Café colour options are not available in the Recessed Grooved Colonial panel style.

Honey Cedar and Cocoa Hickory colours are only available in woodgrain embossing. See page 13 for more details.

Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour sample.

See page 12 for window options

# Contemporary Collections



Premium Contemporary • Black • Flush • Ranch windows • Satin glass

## Modern style garage doors with a wide array of customizable window placements

### Featuring

- 1 3/8" (R12) and 2" (R18) section thicknesses
- 2 panel styles available
- 12 colour options available
- 3 window styles available
- 20' x 14' max door size



### Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



### WeatherLock™

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.




Premium Contemporary • Plank • Black • Single Slim windows • Satin glass

**Classic Contemporary (L138C)**  
**Premium Contemporary (L200C)**

1 3/8" thick door  
 2" thick door

R12 R-Value  
 R18 R-Value

### Panel Styles



Flush

Plank

### Colour Options



Almond

Black

Bronze

Brown

Café

Desert Tan

Iron Ore

Sandstone

Slate Grey

White


### Landmark Elements Woodtones



Cocoa Hickory

Honey Cedar

### Window Options



Colonial

Ranch

### Aluminum


Clear

Smoke

### Slim




Single



Double

Aluminum and slim windows are only available on the premium contemporary model. Please see page 12 for full window information.

### Popular Contemporary Configurations:



Colonial

Ranch

Aluminum

Slim

Single vertical left

Single vertical left

Single vertical right

Single vertical left

Double vertical left

Single vertical right

Single vertical left

Single vertical right

Single vertical right

Single vertical middle

Double vertical right

Double vertical middle

Slim and Aluminum windows are not available on the Classic Contemporary model. Plank and Flush panels styles are available in both Woodgrain and Stucco embossing. Honey Cedar and Cocoa Hickory colours are only available in woodgrain embossing. See page 13 for more details. Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour sample.

# Grandview and Briarcrest Windows



Standard window sizing



XL Grandview & Briarcrest Windows (20% larger than a standard ranch window)

## Window Options 43.5" wide x 17" high

### Rectangle




Wrought-Iron



4-Over-4



4-Pane



Clear

### Two-Piece Arch



Wrought-Iron



4-Over-4



4-Pane



Clear

## Glass Styles



Clear




Satin



Obscure

## Frame Colour Options

Frame matching for all decorative inserts. Frames on the inside of the door are white.



Almond

Black

Bronze

Brown

Café

Desert Tan

Sandstone

Iron Ore

Slate Grey

White

Cocoa Hickory

Honey Cedar

# Contemporary Windows

## Window Options



Colonial  
(19.5" wide x 14" high)



Ranch  
(43" wide x 14" high)

## Aluminum



Clear




Smoke

## Slim



Single (35" wide x 7.5" high)



Double (70" wide x 8.5" high)

## Glass Styles




Clear



Satin



Obscure



Dark Tint



Black Satin

## Frame Colour Options

Available for Colonial, Ranch and Slim Windows. Frames on the inside of the door show as white.



Almond

Black

Bronze

Brown

Café

Desert Tan

Sandstone

Iron Ore

Slate Grey

White

Cocoa Hickory

Honey Cedar

Aluminum windows are only available in Clear and Satin glass. Frame matching is not available for Aluminum windows.

Slim windows are only available in Clear, Satin and Black Satin glass. Honey Cedar and Cocoa Hickory doors come standard with black slim windows.

# Landmark™ Elements

Our Landmark Elements are crafted with cutting-edge high-definition digital print technology to replicate the timeless beauty of real wood.

New colours are available in the following Landmark models: Classic (L138), Premium (L200), Grandview (L200GV), Classic Contemporary (L138C) and Premium Contemporary (L200C).

Landmark Elements are offered in two designs:

## Dual-Directional Design

Available in these panel styles:


- Raised Ranch
- Raised Colonial
- Recessed Grooved Ranch
- Recessed Grooved Colonial
- Mixed Panel (L200 only)

## Plank Design

Available in this panel style:

- Flush

## Cocoa Hickory



## Honey Cedar



# Briarcrest Collection



Briarcrest • Swing • Bronze • 4-Pane Arched windows • Clear glass

## Carriage house style door featuring inlay patterns and extra large windows

### Featuring

- 24" top section with extra large windows
- Recessed Smooth Ranch sections and carriage house inlays
- 2" (R18) section thickness
- 5 panel styles available
- 9 colour options available
- 18' x 12' max door size



### Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



### WeatherLock™

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.



Briarcrest • Bi-Fold • Black • 4-Pane Rectangle windows • Clear glass

## Briarcrest (L200BC)


2" thick door

R18 R-Value

### Panel Styles



A-Buck



V-Buck



X-Buck



Bi-Fold



Swing


### Colour Options




Almond



Black




Bronze




Brown




Café



Desert Tan



Sandstone



Slate Grey




White

### Window Options 43.5" wide x 17" high

#### Rectangle




Wrought-Iron



4-Over-4



4-Pane



Clear

#### Two-Piece Arch



Wrought-Iron



4-Over-4




4-Pane



Clear

### Glass Styles



Clear



Satin



Obscure

For full details on Window availability please see Page 12.  
Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.

# Echo Ridge Collection



Echo Ridge • V-Buck • Bronze • White overlays • 4-Pane windows • Clear glass

## Carriage house style door with flush section and Fibrex® overlay boards

### Featuring

- Flush door section with Fibrex® overlay boards for a carriage house appeal
- Overlay boards have beveled edges and mitered corners
- 1 3/8" (R12) section thickness
- 6 panel styles available
- 6 colour options
- 2 overlay board colours
- 16' x 10' max door size



### Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



### WeatherLock™

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.



Echo Ridge • X-Buck • White • White overlays • 3-Over-3 Rectangle windows • Clear glass

## Echo Ridge (L138ER)

1 3/8" thick door

R12 R-Value

### Panel Styles




A-Buck



V-Buck



X-Buck



Swing



Bi-Fold



Double Bi-Fold

### Colour Options



Almond Bronze Brown Desert Tan Sandstone White

### Overlay Board Options



Sandstone White

### Window Options



One Pane



Three-Over-Three Pane



One-Pane Arched



Three-Over-Three Arched



Three Pane

### Glass Styles



Clear

Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.

# Echo Ridge XL Collection



Echo Ridge XL • Swing • White on White • 3-over-3 windows • Clear glass

## Three-section carriage house style door featuring Fibrex® overlay boards

### Featuring

- 3-Section flush door section with Fibrex® overlay boards for a carriage house appeal
- Overlay boards have beveled edges and mitered corners
- 2" (R18) section thickness
- 6 panel styles available
- 1 colour option available
- 2 overlay board options
- 16' x 10' max door size



### Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



### WeatherLock™

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.



Echo Ridge XL ▪ Bi-Fold and Double Bifold ▪ White on White ▪ 4-over-4 and 3-over-3 windows ▪ Clear glass

## Echo Ridge XL (L200ERX)

2" thick door

R18 R-Value

### Panel Styles



A-Buck




V-Buck



X-Buck



Swing




Bi-Fold




Double Bi-Fold

### Colour Options



White

### Overlay Board Options



Sandstone



White

### Window Options



One Pane



Three-Over-Three Pane



One-Pane Arched



Three-Over-Three Arched



Three Pane

### Glass Styles



Clear

# Rockwood Collection



Stratford design • 3" V-match inlay • Stain grade • Arched top • 3-Over-3 Pane windows

## Carriage house door featuring a custom wood overlay available in a variety of styles and colours

### Featuring

- Custom cedar three-section door
- Matching cedar capped channels blend evenly into the custom coloured panels
- Ability to match any arched header to fit any opening
- 3" (R19.25) section thickness with 1" cedar board
- 18' x 10' max door size



### Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



### WeatherLock™

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.



Custom Shakespeare • 3" V-Match Inlay • Stain grade • Arched top 3-Over-3 Pane windows

## Rockwood (L200RW)

3" thick sections  
(2" Landmark panel & 1" cedar board)

R19.35 R-Value




### Composite Material

1/2" Extria composite material. A treated exterior smooth surface provides a flat exterior for painted doors.



### V-Groove

Cedar boards are cut at a 45° angle and fit together to form a V-Groove. Available in 3" or 5" (76mm or 127mm) tongue-and-groove.




### Custom Colours


Please see your local dealer for complete details on overlay. With both paint and stain grade options available, your door can be customized to match your home's exterior styling.

## Rockwood Style Options


This is a small sampling of the Rockwood style options. Custom designs are available. See dealer for details.




Bentley




Bracebridge




Crosshill




Harmony




Harrington




Linwood




Owen Sound




Oxford




Shakespeare



Stratford



Waterloo



Windsor

## Window Options



One Pane



One-Pane Arched



Three-Pane Arched



Three Pane



Three-Over-Three



Three-Over-Three Arched

# Rockwood Contemporary



Contemporary Style #5 • 5" V-Match inlay • Stain grade • Custom windows

## Modern door featuring a custom wood overlay available in a variety of styles and colours

### Featuring

- Modern custom cedar door
- Matching cedar capped channels blend evenly into the custom coloured panels
- Ability to match any arched header to fit any opening
- 3" (R19.25) section thickness with 1" cedar board
- 18' X 10' max door size




### Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



### WeatherLock™


Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.



## Rockwood Contemporary (L200RWC)

3" thick sections  
(2" Landmark panel & 1" cedar board)

R19.35 R-Value



### Composite Material

1/2" Extria composite material. A treated exterior smooth surface provides a flat exterior for painted doors.



### V-Groove

Cedar boards are cut at a 45° angle and fit together to form a V-Groove. Available in 3" or 5" (76mm or 127mm) tongue-and-groove.




### Custom Colours


Please see your local dealer for complete details on overlay. With both paint and stain grade options available, your door can be customized to match your home's exterior styling.

## Popular Rockwood Contemporary Configurations


This is a small sampling of the Rockwood style options. Custom designs are available. See dealer for details.




Style #1




Style #2




Style #3




Style #4




Style #5




Style #6




Style #7




Style #8




Style #16



Style #17



Style #19



Style #20

# Decorative Hardware



16" Cast Iron Spear Hinge Assembly



16" Cast Iron Spear Hinge



16" Stamped Spade Hinge



16" Cast Iron Colonial Hinge



Keyed + Dummy Spade L-Handle



Keyed + Dummy L-Handle



Cast Iron Colonial Pull Handle



Cast Iron Spear Pull Handle



Arched Cast Iron Fleur-De-Lys Pull Handle



Stamped Spade Pull Handle



Cast Iron L-Handle Long Dummy Handle



Cast Iron Fleur-De-Lys Dummy Handle



Cast Iron Colonial Lift Handle



Cast Iron Spear Lift Handle



Cast Iron Fleur-De-Lys Lift Handle



Stamped Spade Lift Handle



Cast Iron Lion's Head Door Knocker



Cast Iron Fleur-De-Lys Door Knocker



Cast Iron Door Studs

## Magnetic Hardware



Manor Collection



Colonial Collection



Mission Collection



# Landmark<sup>®</sup> Warranty

## Limited Lifetimer™ Warranty

Richards-Wilcox warrants door sections against deterioration due to “rust through” and/or “delamination” and all hardware components (see below for spring detail) used in the door system against defects in material and workmanship as follows:

- In residential single-family installations, for as long as the original purchaser owns the home;
- Trim boards on Briarcrest, Echo Ridge & Echo Ridge XL door systems are warranted against delamination for a period of five (5) years.
- Standard Hardware components are warranted for five (5) years. Standard Hardware Plus hardware components are warranted for as long as the original purchaser owns the home.



## Springs

Richards-Wilcox warrants all spring assemblies used in the door system against defects in material and workmanship as follows:

- In residential single-family installations, for a period of five (5) years from the date of delivery to the original purchaser.

## Glass

Richards-Wilcox warrants its sealed glass windows for five years from the time of purchase against the formation of condensation within the sealed unit. Richards-Wilcox will only replace the windows if there is a seal failure. Broken or cracked glass is not covered by any warranty. This warranty does not cover windows or window parts that have been removed from an initial installation and reinstalled in any structure.

## Painting

Your Richards-Wilcox residential garage door is already protected with a long-lasting finish. No additional painting is required. R-W will not warrant any instances of rust, blistering or delamination if third-party paint is applied after purchase.

**For more warranty information please see [rwdoors.com](http://rwdoors.com).**

# Design-A-Door



## Build the perfect garage door for your home

Create a rendering of your garage door in minutes with our Design-a-Door tool. Choose from a wide range of styles, colours, and accessories to perfectly complement your home's aesthetic. Once your design is complete, simply request a quote from one of our authorized professional installing dealers.

**Visit [rwdoors.com](http://rwdoors.com) to begin designing!**





**Richards-Wilcox®**  
Garage Doors

---

# LANDMARK™ SERIES

---

**For additional information and friendly advice,  
please contact your local Richards-Wilcox® dealer.**

Professionally installed and serviced by:

5100 Timberlea Boulevard, Mississauga, Ontario Canada L4W 2S5

Toll Free: 1 (800) 667-1572 | Tel: (905) 625-0037

**[rwdoors.com](http://rwdoors.com)**